



# SSM 27i

with **NARROW  
TRANSPORT  
WHEELSET**

**EXCLUSIVE FOR SMALL GRAINS**

Number of rows	<b>27</b>
Spacing	<b>17 cm</b>
Power required	<b>120 hp</b>
Fertilizer capacity	<b>1.864 L</b>
Seed capacity	<b>1.212 L</b>
Pasture box capacity	<b>80 L</b>
Main tyres	<b>TM 95 12.4 X 24</b>
Standard weight	<b>7.980 Kg</b>

**THE NARROWEST TRANSPORT  
WIDTH ON THE MARKET:**



**2,55 meters**



**SAVE TIME**



**NARROW TRANSPORT  
WHEELSET**

**→ 1min 30s →**

**TRANSPORT POSITION  
TO  
PLANTING POSITION**



# SSM 27i


with NARROW  
TRANSPORT  
WHEELSET

## STRUCTURAL ADVANTAGES

- 1 SEMEATO parts are developed in its own foundry plant, respecting all quality requirements.
- 2 Dual band depth gauge wheel, angle and depth adjustment are available for all terrains.
- 3 SEMESEAL<sup>®</sup>: lubrication-free shielded hub, which gives low maintenance and durability.
- 4 Quick and easy attachment of the fertilizer and seed tubes, faster and lower maintenance in the field.
- 5 Few lubrication points at the fertilizer and seed rows.
- 6 Double-sealed hydraulic cylinders, with ball joints to prevent damages.

- 7 Fertilizer and seed boxes manufactured in polyethylene.
- 8 Shorter distance between the cutting discs, providing a perfect stable cut and plantability.
- 9 Seader hitch has a robust structure, has all the features to perform a stable seed to soil work.
- 10 SMARTFLOW<sup>®</sup>: high performance fertilizer auger system.

SEMEATO  
PATENT



Main lock

Secondary lock

Shielded hub  
SEMESEAL<sup>®</sup>

Transport Tyre  
275/80 R 22,5


Main tyre  
TM 95 12,4 x 24 - 10 plies



# SSM 27i


with NARROW  
TRANSPORT  
WHEELSET

## SHORTER DISTANCE BETWEEN THE CUTTING DISCS.



This reduces the overlap of planting rows on uneven ground.

## ROW FEATURES.



CONTACT US  
THROUGH THE  
QR CODE:



SEMEATO S/A IND. E COM.  
PASSO FUNDO - RS - BRASIL  
TELEPHONE: +55 54 2103.2400  
www.semeato.de

SEMEATO GERMANY GmbH  
Cossebauder Weg 12  
06116 Halle (Salle)  
Deutschland  
Telefon: +49 345 681 5596

SEMEATO behält sich das Recht vor, technische Änderungen jederzeit und ohne vorherige Ankündigung vorzunehmen. Die Bilder dienen lediglich der Veranschaulichung. Marketingabteilung. Stand: April 2026.